ELSEVIER

Journal of Electroanalytical Chemistry 460 (1999) 275

JOURNAL OF ELECTROANALYTICAL CHEMISTRY

Author Index of Volume 460

Alleman, K.S., 207
Aoki, K., 251
Ataka, K., 188

Berendson, J., 88
Berthier, F., 226
Brunetti, B., 38
Bulska, E., 30

Calvente, J.J., 100
Carrette, L.P.L., 80
Chia, L.S., 234
Colomès, M., 119
Cukrowski, I., 197
Czerwiński, A., 30

Davydov, A.D., 214
Desvergne, J.-P., 119
Diard, J.-P., 226

Fabre, B., 119
Farnia, G., 160
Fontes, E., 88
Furuya, N., 251

Gofer, Y., 46
Goh, N.K., 234
Golimowski, J., 30
González-Arjona, D., 100
Granö, H., 176
Grdeń, M., 30

Hillman, A.R., 267
Hogarth, M.P., 80
Hush, N.S., 5

Ichinose, M., 251
Igarashi, H., 238
Ishida, M., 245

Krasnodebska-Ostrega, B., 30

Lahtinen, R., 149
Lamperski, S., 135
Lampitt, R.A., 80
Lankinen, E., 176
Li, C., 245
Li, J., 234
Lieberman, S.H., 105
López-Pérez, G., 100

Marassi, R., 30
Marcuzzi, F., 160
Martin, S.J., 267
Modestov, A.D., 214
Molero, M., 100
Montella, C., 226
Mortimer, R.J., 263
Mosier-Boss, P.A., 105
Murtomäki, L., 149

Nguyen, P.H., 63
Nilsson, E., 88

Okuda, T., 242
Osawa, M., 188
Outhwaite, C.W., 135

Paasch, G., 63
Peters, D.G., 207
Poehler, T.O., 46
Pourcelly, G., 53

Quinn, B., 149

Russell, A.E., 80

Sandonà, G., 160
Saraswathi, R., 267
Sarker, H., 46
Schlindwein, W.S., 46
Schmickler, W., 144
Searson, P.C., 46
Shibata, M., 251
Simonet, J., 119
Sistat, P., 53
Sundholm, F., 176
Sundholm, G., 176

Talonen, P., 176
Taniguchi, I., 245
Tan, S.N., 234
Teragishi, Y., 254
Toda, T., 258
Tokieda, M., 254
Trasatti, S., 1

Ugo, P., 38

Warren, C.P., 263
Watanabe, M., 258

Yamamoto, T., 242
Yao, Q., 245

Zamponi, S., 30

PII S0022-0728(98)00438-0

ELSEVIER

Journal of Electroanalytical Chemistry 460 (1999) 277–280

JOURNAL OF ELECTROANALYTICAL CHEMISTRY

Subject Index of Volume 460

Absorbance
Light scattering of polyaniline films responding to electrochemical switching, 253
Acetonitrile
Factors influencing the ion-exchange preconcentration and voltammetric behaviour of redox cations at polyestersulfonated ionomer coated electrodes in acetonitrile solutions, 38
Activity coefficients
Activity coefficients of $Al(ClO_4)_3$ in aqueous solutions: a reexamination, 100
Adiabatic electrode processes
Electron transfer in retrospect and prospect: 1: Adiabatic electrode processes, 5
Adsorption
In situ infrared study of cytosine adsorption on gold electrodes, 188
Anodic film
Capacitance and photocurrent study of electronic properties of anodic oxide films on Nb and Ta. Evaluation of the ionized donor concentration profile in Nb_2O_5 film, 214
Assisted ion transfer
A model for assisted ion transfer across liquid | liquid interfaces, 144
Atomic force microscopy
Synthesis, electropolymerization and electrochemical characterization of some new acrylate substituted thiophene derivatives, 176
Au electrode
In situ infrared study of cytosine adsorption on gold electrodes, 188

Battery
The electrochemical properties of a series of phenylene-thienyl polymers in tetramethylene sulfone based electrolytes, 46
Bifurcation
Discontinuous immitance due to a saddle node bifurcation: II: Tangent bifurcation and critical slowdown during isotherm branch switching, 225
Biosensor
Renewable silica sol–gel derived carbon composite based glucose biosensor, 233
Bond-breaking
Electron transfer in retrospect and prospect: 1: Adiabatic electrode processes, 5

Cadmium
Experimental and calculated complex formation curves for mixed, dynamic and semi-dynamic, metal–ligand systems. A differential pulse polarographic study of Cu^{II}–sarcosine–OH and Cd^{II}–MIDA–OH systems at a fixed ligand to metal ratio and varied pH, 197
Catalytic reduction
Catalytic reduction of 1,8-diiodooctane by electrogenerated cobalt(I) salen and formation of μ-(1,8-*n*-octyl)-bis[-(salen)cobalt(III)], 207

Cobalt(I) salen
Catalytic reduction of 1,8-diiodooctane by electrogenerated cobalt(I) salen and formation of μ-(1,8-*n*-octyl)-bis-[(salen)cobalt(III)], 207
Complex formation curves
Experimental and calculated complex formation curves for mixed, dynamic and semi-dynamic, metal–ligand systems. A differential pulse polarographic study of Cu^{II}–sarcosine–OH and Cd^{II}–MIDA–OH systems at a fixed ligand to metal ratio and varied pH, 197
Composite
Renewable silica sol–gel derived carbon composite based glucose biosensor, 233
Conducting polymers
The electrochemical properties of a series of phenylene-thienyl polymers in tetramethylene sulfone based electrolytes, 46
π-Conjugated polymer
Oligomeric poly(phenazine-2,7-diyl) and its electrochemical response, 241
Contact electric resistance technique
Synthesis, electropolymerization and electrochemical characterization of some new acrylate substituted thiophene derivatives, 176
Copper
Experimental and calculated complex formation curves for mixed, dynamic and semi-dynamic, metal–ligand systems. A differential pulse polarographic study of Cu^{II}–sarcosine–OH and Cd^{II}–MIDA–OH systems at a fixed ligand to metal ratio and varied pH, 197
Crown ether
Electrochemical oxidation in different media of bis(*p*-phenylene crown ether) as a symmetrical molecule bearing two identical redox centers, 119
Crystal field potential
Electron transfer in retrospect and prospect: 1: Adiabatic electrode processes, 5
Crystal impedance
Mechanical resonance effects in electroactive polycarbazole films, 266
Cyclic voltammetry
Electrochemical oxidation in different media of bis(*p*-phenylene crown ether) as a symmetrical molecule bearing two identical redox centers, 119
The electrochemical properties of a series of phenylene-thienyl polymers in tetramethylene sulfone based electrolytes, 46
Cyclopentadienes
Electrochemical reduction of phenyl-substituted cyclopentadienes: a case of an 'indirect father–son' self-protonation process, 159
Cytosine
In situ infrared study of cytosine adsorption on gold electrodes, 188

Desorption
In situ infrared study of cytosine adsorption on gold electrodes, 188

PII S0022-0728(98)00439-2

Dihydroreduction
Electrochemical reduction of phenyl-substituted cyclopentadienes: a case of an 'indirect father–son' self-protonation process, 159
1,8-Diiodooctane
Catalytic reduction of 1,8-diiodooctane by electrogenerated cobalt(I) salen and formation of μ-(1,8-*n*-octyl)-bis-[(salen)cobalt(III)], 207
Direct current
Electrochemical treatment of tumours: a simplified mathematical model, 88
Distribution function.
A non-primitive model for the electrode | electrolyte interface based on the Percus–Yevick theory. Analysis of the different molecular sizes, ion valences and electrolyte concentrations, 135
Doping
The electrochemical properties of a series of phenylene-thienyl polymers in tetramethylene sulfone based electrolytes, 46
DPP
Experimental and calculated complex formation curves for mixed, dynamic and semi-dynamic, metal–ligand systems. A differential pulse polarographic study of Cu^{II}–sarcosine–OH and Cd^{II}–MIDA–OH systems at a fixed ligand to metal ratio and varied pH, 197

Electrocatalyst
Enhancement of the electrocatalytic O_2 reduction on Pt–Fe alloys, 257
Electrocatalysts
In situ and model EXAFS studies of electrocatalysts for methanol oxidation, 80
Electrochemical activation
Structural changes at the Pt(100) surface with a great number of potential cycles, 250
Electrochemical reduction
Electrochemical reduction of phenyl-substituted cyclopentadienes: a case of an 'indirect father–son' self-protonation process, 159
Oligomeric poly(phenazine-2,7-diyl) and its electrochemical response, 241
Electrochemical responses
Feasibility studies for the detection of volatile organic compounds in the gas phase using microelectrode sensors, 105
Electrochemical switching
Light scattering of polyaniline films responding to electrochemical switching, 253
Electrochemical treatment (ET)
Electrochemical treatment of tumours: a simplified mathematical model, 88
Electrochromic printing
Cyclic voltammetric studies of Prussian blue and viologens within a paper matrix for electrochromic printing applications, 262
Electrochromism
Cyclic voltammetric studies of Prussian blue and viologens within a paper matrix for electrochromic printing applications, 262
Electrode | electrolyte interface
A non-primitive model for the electrode | electrolyte interface based on the Percus–Yevick theory. Analysis of the different molecular sizes, ion valences and electrolyte concentrations, 135
Electron transfers
Electron transfer in retrospect and prospect: 1: Adiabatic electrode processes, 5
Electrosorption
Discontinuous immitance due to a saddle node bifurcation: II: Tangent bifurcation and critical slowdown during isotherm branch switching, 225
Electrotherapy
Electrochemical treatment of tumours: a simplified mathematical model, 88
Extended X-ray absorption fine structure
In situ and model EXAFS studies of electrocatalysts for methanol oxidation, 80

Film growth
Capacitance and photocurrent study of electronic properties of anodic oxide films on Nb and Ta. Evaluation of the ionized donor concentration profile in Nb_2O_5 film, 214
Film resonance
Mechanical resonance effects in electroactive polycarbazole films, 266
Flat pyramidal islands
Structural changes at the Pt(100) surface with a great number of potential cycles, 250
Frumkin isotherm
Discontinuous immitance due to a saddle node bifurcation: II: Tangent bifurcation and critical slowdown during isotherm branch switching, 225
FTIR spectroscopy
In situ infrared study of cytosine adsorption on gold electrodes, 188
Fuel cell
Enhancement of the electrocatalytic O_2 reduction on Pt–Fe alloys, 257

Glassy carbon electrodes
Catalytic reduction of 1,8-diiodooctane by electrogenerated cobalt(I) salen and formation of μ-(1,8-*n*-octyl)-bis-[(salen)cobalt(III)], 207
Glucose
Renewable silica sol–gel derived carbon composite based glucose biosensor, 233

Homopolar ion-exchange membranes
Steady-state ion transport through homopolar ion-exchange membranes: an analytical solution of the Nernst–Planck equations for a 1:1 electrolyte under the electroneutrality assumption, 53
Hydrogen absorption in Ni–Pd electrodes
Hydrogen electrosorption in Ni–Pd alloys, 30

Impedance
Discontinuous immitance due to a saddle node bifurcation: II: Tangent bifurcation and critical slowdown during isotherm branch switching, 225
Impedance spectroscopy
Transfer matrix method for the electrochemical impedance of inhomogeneous porous electrodes and membranes, 63
In situ FTIR spectroscopy
Synthesis, electropolymerization and electrochemical characterization of some new acrylate substituted thiophene derivatives, 176
In-situ STM
Structural changes at the Pt(100) surface with a great number of potential cycles, 250
Interfacial chemistry
Activity coefficients of $Al(ClO_4)_3$ in aqueous solutions: a reexamination, 100
Ion-exchange
Factors influencing the ion-exchange preconcentration and voltammetric behaviour of redox cations at polyestersulfonated ionomer coated electrodes in acetonitrile solutions, 38

Ionogenic reactions
Electron transfer in retrospect and prospect: 1: Adiabatic electrode processes, 5
Ion transport
Steady-state ion transport through homopolar ion-exchange membranes: an analytical solution of the Nernst–Planck equations for a 1:1 electrolyte under the electroneutrality assumption, 53
IR drop
Simultaneous ion transfer across the microhole ITIES: an example of ternary electrodiffusion, 149
ITIES
A model for assisted ion transfer across liquid | liquid interfaces, 144
Simultaneous ion transfer across the microhole ITIES: an example of ternary electrodiffusion, 149

Lambert's function, Nernst–Planck equations
Steady-state ion transport through homopolar ion-exchange membranes: an analytical solution of the Nernst–Planck equations for a 1:1 electrolyte under the electroneutrality assumption, 53
Light scattering
Light scattering of polyaniline films responding to electrochemical switching, 253
Liquid | liquid interfaces
A model for assisted ion transfer across liquid | liquid interfaces, 144

Mathematical modelling
Electrochemical treatment of tumours: a simplified mathematical model, 88
Mean field
A non-primitive model for the electrode | electrolyte interface based on the Percus–Yevick theory. Analysis of the different molecular sizes, ion valences and electrolyte concentrations, 135
Methanol fuel cell
In situ and model EXAFS studies of electrocatalysts for methanol oxidation, 80
Microelectrode sensors
Feasibility studies for the detection of volatile organic compounds in the gas phase using microelectrode sensors, 105
Microhole
Simultaneous ion transfer across the microhole ITIES: an example of ternary electrodiffusion, 149
MIDA
Experimental and calculated complex formation curves for mixed, dynamic and semi-dynamic, metal–ligand systems. A differential pulse polarographic study of Cu^{II}–sarcosine–OH and Cd^{II}–MIDA–OH systems at a fixed ligand to metal ratio and varied pH, 197
Migration
Simultaneous ion transfer across the microhole ITIES: an example of ternary electrodiffusion, 149
Mn(III) reconstituted myoglobin
Electrochemical and spectroelectrochemical properties of manganese reconstituted myoglobin, 244
Monte-Carlo
A non-primitive model for the electrode | electrolyte interface based on the Percus–Yevick theory. Analysis of the different molecular sizes, ion valences and electrolyte concentrations, 135
Myoglobin
Electrochemical and spectroelectrochemical properties of manganese reconstituted myoglobin, 244

Nb_2O_5
Capacitance and photocurrent study of electronic properties of anodic oxide films on Nb and Ta. Evaluation of the ionized donor concentration profile in Nb_2O_5 film, 214
n-doping
Oligomeric poly(phenazine-2,7-diyl) and its electrochemical response, 241
Nickel
Hydrogen electrosorption in Ni–Pd alloys, 30
Nickel–palladium alloys
Hydrogen electrosorption in Ni–Pd alloys, 30
μ-(1,8-*n*-Octyl)-bis[(salen)cobalt(III)]
Catalytic reduction of 1,8-diiodooctane by electrogenerated cobalt(I) salen and formation of μ-(1,8-*n*-octyl)-bis-[(salen)cobalt(III)], 207
Non-linearity
Discontinuous immitance due to a saddle node bifurcation: II: Tangent bifurcation and critical slowdown during isotherm branch switching, 225
Non-primitive model
A non-primitive model for the electrode | electrolyte interface based on the Percus–Yevick theory. Analysis of the different molecular sizes, ion valences and electrolyte concentrations, 135

orr
Enhancement of the electrocatalytic O_2 reduction on Pt–Fe alloys, 257
Oxygen reduction
Enhancement of the electrocatalytic O_2 reduction on Pt–Fe alloys, 257

Palladium
Hydrogen electrosorption in Ni–Pd alloys, 30
Percus–Yevick
A non-primitive model for the electrode | electrolyte interface based on the Percus–Yevick theory. Analysis of the different molecular sizes, ion valences and electrolyte concentrations, 135
Phenylene
Electrochemical oxidation in different media of bis(*p*-phenylene crown ether) as a symmetrical molecule bearing two identical redox centers, 119
Photoelectrochemistry
Capacitance and photocurrent study of electronic properties of anodic oxide films on Nb and Ta. Evaluation of the ionized donor concentration profile in Nb_2O_5 film, 214
Platinum alloy
Enhancement of the electrocatalytic O_2 reduction on Pt–Fe alloys, 257
Polyaniline films
Light scattering of polyaniline films responding to electrochemical switching, 253
Polycarbazole
Mechanical resonance effects in electroactive polycarbazole films, 266
Poly(estersulfonate)
Factors influencing the ion-exchange preconcentration and voltammetric behaviour of redox cations at polyestersulfonated ionomer coated electrodes in acetonitrile solutions, 38
Polymer modified glassy carbon electrodes
Factors influencing the ion-exchange preconcentration and voltammetric behaviour of redox cations at polyestersulfonated ionomer coated electrodes in acetonitrile solutions, 38

Poly(phenazine-2,7-diyl)
Oligomeric poly(phenazine-2,7-diyl) and its electrochemical response, 241
Poly((3-thienyl) methylacrylate)
Synthesis, electropolymerization and electrochemical characterization of some new acrylate substituted thiophene derivatives, 176
Polythiophene
The electrochemical properties of a series of phenylene-thienyl polymers in tetramethylene sulfone based electrolytes, 46
Porous electrodes
Transfer matrix method for the electrochemical impedance of inhomogeneous porous electrodes and membranes, 63
Protonation
Electrochemical reduction of phenyl-substituted cyclopentadienes: a case of an 'indirect father–son' self-protonation process, 159
Prussian blue
Cyclic voltammetric studies of Prussian blue and viologens within a paper matrix for electrochromic printing applications, 262
Pt(100)
Structural changes at the Pt(100) surface with a great number of potential cycles, 250
Pt(310) face
Structural changes at the Pt(100) surface with a great number of potential cycles, 250
Pt–Fe
Enhancement of the electrocatalytic O_2 reduction on Pt–Fe alloys, 257

Quartz crystal microbalance
Mechanical resonance effects in electroactive polycarbazole films, 266

Radical anions
Electrochemical reduction of phenyl-substituted cyclopentadienes: a case of an 'indirect father–son' self-protonation process, 159
Rayleigh scattering
Light scattering of polyaniline films responding to electrochemical switching, 253
Redox mediator
Electrochemical and spectroelectrochemical properties of manganese reconstituted myoglobin, 244
Redox potential
Electrochemical and spectroelectrochemical properties of manganese reconstituted myoglobin, 244
Reflection
Light scattering of polyaniline films responding to electrochemical switching, 253

Sarcosine
Experimental and calculated complex formation curves for mixed, dynamic and semi-dynamic, metal–ligand systems. A differential pulse polarographic study of Cu^{II}–sarcosine–OH and Cd^{II}–MIDA–OH systems at a fixed ligand to metal ratio and varied pH, 197
Self-protonation
Electrochemical reduction of phenyl-substituted cyclopentadienes: a case of an 'indirect father–son' self-protonation process, 159
Simulation
A model for assisted ion transfer across liquid | liquid interfaces, 144
Sol–gel
Renewable silica sol–gel derived carbon composite based glucose biosensor, 233
Speciation
Experimental and calculated complex formation curves for mixed, dynamic and semi-dynamic, metal–ligand systems. A differential pulse polarographic study of Cu^{II}–sarcosine–OH and Cd^{II}–MIDA–OH systems at a fixed ligand to metal ratio and varied pH, 197
Spectroelectrochemistry
Electrochemical and spectroelectrochemical properties of manganese reconstituted myoglobin, 244
Sulfolane
The electrochemical properties of a series of phenylene-thienyl polymers in tetramethylene sulfone based electrolytes, 46

Ta_2O_5
Capacitance and photocurrent study of electronic properties of anodic oxide films on Nb and Ta. Evaluation of the ionized donor concentration profile in Nb_2O_5 film, 214
Ternary diffusion
Simultaneous ion transfer across the microhole ITIES: an example of ternary electrodiffusion, 149
Thermodynamic analysis
Activity coefficients of $Al(ClO_4)_3$ in aqueous solutions: a reexamination, 100
Thickness shear mode resonator
Mechanical resonance effects in electroactive polycarbazole films, 266
Transfer matrix
Transfer matrix method for the electrochemical impedance of inhomogeneous porous electrodes and membranes, 63
Tumour
Electrochemical treatment of tumours: a simplified mathematical model, 88

Viologens
Cyclic voltammetric studies of Prussian blue and viologens within a paper matrix for electrochromic printing applications, 262
Voltammetry
Factors influencing the ion-exchange preconcentration and voltammetric behaviour of redox cations at polyestersulfonated ionomer coated electrodes in acetonitrile solutions, 38
Feasibility studies for the detection of volatile organic compounds in the gas phase using microelectrode sensors, 105